

OEM/ODM/OBM

产品画册

PRODUCT CATALOG

SHENZHEN YOUYANG TECHNOLOGY CO., LTD
深圳市优洋科技有限公司

COMPANY PROFILE 公司简介

WHO WE ARE? (我们是谁?)

Shenzhen Youyang Technology Co., Ltd. is a manufacturer and supplier with over 20 years of experience in the production of LED video lamps and camping lamps. It was formerly known as Shenzhen Zhongyi Hai Technology Co., Ltd. Our company is located in Shenzhen. The company was recognized as a "High-Tech Enterprise in Shenzhen" by the Shenzhen Science and Technology Innovation Committee in December 2016 and as a national high-tech enterprise in October 2017. Currently, the company holds more than 90 product design patents. (深圳市优洋科技有限公司, 是一家拥有20年以上摄影补光灯和露营灯制造供应商, 前身为深圳市中怡海科技有限公司。公司位于深圳。2016年12月公司被“深圳市科技创新委员会”认定为“深圳市高新技术企业”, 2017年10月被认定为国家高新技术企业。公司目前拥有产品设计专利超过90项)

Enterprise Values: (企业价值观:)

Integrity, Gratitude, Excellence, Win-Win. (诚信 感恩 卓越 共赢)

WHAT WE DO? (我们做什么?)

- We have two product series: LED video lamps and LED camping lights. (我们有两个产品类别, 一个是摄影补光灯, 一个是户外露营灯。)
- We have been providing professional OEM and ODM services for over 20 years. Customization options include logos, gift boxes, colors, and user manuals. The minimum order quantity for OEM logos and packaging is 1000 units. (我们提供专业的OEM和ODM服务长达20年。接受定制LOGO, 礼盒, 颜色, 用户手册。OEM标志和彩盒的最低起订量为1000件。)
- We always provide professional pre-sales and after-sales service, with round-the-clock support and quick responses. (我们始终提供专业的售前和售后服务。全天候服务, 快速响应。)

WHY CHOOSE US? (为什么选择我们?)

- We have more than 20 years of experience in the OEM and ODM industry for camping lamps, desk lamps, and video lamps. (我拥有20年以上露营灯、台灯、摄影补光灯产品OEM及ODM行业经验)
- 2000 square meters, 90+ patents, 100+ staff, 50000pcs monthly capacity. (2000平方米, 90多项专利, 100多名员工, 月产能5万件。)
- Our company is located in Shenzhen, the city of innovation in the Pearl River Delta region of China, we benefit from a well-established high-quality supply chain and excellent talents, ensuring superior products and competitive prices for our customers. (公司位于创新之城深圳, 地处中国珠三角, 拥有完备的优质供应链和优秀的人才, 为您带来更好的产品和价格。)
- Certificated by CE, FCC, ROHS. (通过CE、FCC、ROHS认证。)


OUR TEAM (我们的团队)


We have 100 employees, including marketing /sales /R&D / produce /PMC /QC/customer service department and so on. We can provide customer with one-stop service. (我们有100名员工, 包括营销/销售/研发/生产/PMC/QC/客户服务部等。我们可以为客户提供一站式服务。)

OUR FACTORY (我们的工厂)

- Our products make 100% full inspection and aging test before shipping. We have quality control department. QA/QC strict inspection is an important method in quality assurance. (我们的产品在发货前进行100%的全面检查和老化测试。我们有质量控制部门, QA/QC严格检查是质量保证的一种重要方法)
- Our products is with competitive price and adopt good quality of raw material. Price depends on order quantity. (我们的产品价格有竞争力, 采用优质原材料, 价格取决于订单数量。)
- Welcome your OEM and ODM project. We provide one stop solution services. (欢迎您的OEM和ODM项目。我们提供一站式解决方案服务)

ADMINISTRATIVE AREA 办公区域







**PRODUCTION
AREA**

生产区域

R1

MOBILE PHONE FILL LIGHT
手机补光灯



Patent product, CE/FCC/RoHS certification (CE FCC RoHS)

专利产品, CE/FCC/RoHS认证

Feature : 产品功能


- 1.Compact and portable, held in the palm of your hand.
(小巧便携, 纳于掌间)。
- 2.Multi level color temperature/brightness adjustment.
(多档色温 / 亮度调节)。
- 3.Foldable design, folding and storing square inches, with a degree of display and storage.
(可折叠设计, 折藏方寸, 展纳有度)。

Specifications : 产品参数

- 1.Material: ABS+PC (材质: ABS+PC)
- 2.Input: DC 5V / 0.33A (MAX) (输入: DC 5V / 0.33A (MAX))
- 3.CRI: Ra≥95 (显指: Ra≥95)
- 4.Power: 1W (Max) (功率: 1W (Max))
- 5.CCT: 2500K / 3500K / 4500K / 5500K / 6500K
(色温: 2500K / 3500K / 4500K / 5500K / 6500K)
- 6.Size: 60*21*68mmmm (尺寸: 60*21*68mm)
- 7.LUX: ~80LM (MAX) (照度: ~80LM (MAX))

Packing information : 装箱资料

- 1.Packing quantity: 100pcs (装箱数量: 100pcs)
- 2.Outer box size: 446*395*170mm (外箱尺寸: 446*395*170mm)
- 3.Net Weight/Gross Weight: 10.5kg/9.8kg (整箱净重/毛重:10.5kg/9.8kg)



L60W / L60RGB

PROFESSIONAL VIDEO LAMP
专业摄影灯



Patent product, CE/FCC/RoHS certification

Patent number: XZ2024040075CN6180

专利产品, CE/FCC/RoHS认证 (专利号: XZ2024040075CN6180)

Feature : 产品功能

1. 12 kinds of Fx scene simulation light effects, easily achieve creative lighting. (12种Fx场景模拟光效和RGB彩光, 轻松实现创意布光)
2. Built in a 37Wh large battery, it can provide continuous illumination at full power for over 60 minutes. (37Wh大电池, 满功率可持续点亮超60分钟)。
3. The intelligent silent fan ensures a quiet shooting environment. (智能静音风扇, 满足静音拍摄条件)。
4. The color temperature is adjustable from 2500K to 6500K steplessly. (2500-6500K色温无级可调)。
5. Supports 45W PD fast charging, fully charging in just 2.5 hours. (45W PD协议快充, 充满只需2.5小时)。

Specifications : 产品参数

1. Material: ABS+PC+Aviation aluminum (材质: ABS+PC+航空铝)
2. CRI: Ra≥95 (显指: Ra≥95)
3. Input: DC 20V / 2.25A(max) (输入: DC 20V / 2.25A(max))
4. Power: 60W (Max) (功率: 60W (Max))
5. CCT: 2500-6500K / RGB (色温: 2500-6500K / RGB)
6. Size: 141.5×84.8×84.8mm (尺寸: 141.5×84.8×84.8mm)


Packing information : 装箱资料

1. Packing quantity: 24pcs (装箱数量: 24pcs)
2. Outer box size: 520*400*400mm (外箱尺寸: 520*400*400mm)
3. Net Weight/Gross Weight: 17.2kg/18kg (整箱净重/毛重: 17.2kg/18kg)



P40RGB

PROFESSIONAL VIDEO LAMP
专业摄影灯



Patent product, CE/FCC/RoHS certification (CE FCC RoHS)

Patent number: XZ2024040075CN6180

专利产品, CE/FCC/RoHS认证 (专利号: XZ2024040075CN6180)

Feature : 产品功能

1. 12 kinds of Fx scene simulation light effects, easily achieve creative lighting. (12种Fx场景模拟光效和RGB彩光, 轻松实现创意布光)
2. Built in a 74Wh large battery, it can provide continuous illumination at full power for over 120 minutes. (74Wh大电池, 满功率可持续点亮超120分钟)。
3. The intelligent silent fan ensures a quiet shooting environment. (智能静音风扇, 满足静音拍摄条件)。
4. The color temperature is adjustable from 2500K to 6500K steplessly. (2500-6500K色温无极可调)。
5. Supports 45W PD fast charging, fully charging in just 3 hours. (45W PD协议快充, 充满只需3小时)。

Specifications : 产品参数

1. Material: ABS+PC+Aviation aluminum (材质: ABS+PC+航空铝)
2. CRI: Ra≥95 Battery capacity: 14.8V 5000mAh 74Wh
显指: Ra≥95 电池容量: 14.8V 5000mAh 74Wh
3. Input: DC 20V / 2.25A(max) (输入: DC 20V / 2.25A(max))
4. Power: 40W (Max) (功率: 40W (Max))
5. CCT: 2500-6500K / RGB (色温: 2500-6500K / RGB)
6. Size: 115*84*84mm (尺寸: 115*84*84mm)

Packing information : 装箱资料

1. P40WRGB Packing quantity: 20pcs (P40WRGB 装箱数量: 20pcs)
2. Outer box size: 732*425*408mmmm (外箱尺寸: 732*425*408mmmm)
3. Net Weight/Gross Weight: 21.2kg/22.3kg (整箱净重/毛重: 21.2kg/22.3kg)



P40W

PROFESSIONAL VIDEO LAMP
专业摄影灯



Patent product, CE/FCC/RoHS certification 

Patent number: XZ2024040075CN6180

专利产品, CE/FCC/RoHS认证 (专利号: XZ2024040075CN6180)

Feature : 产品功能


- 1.The video light comes with magnetic accessories and is designed with a Mini Bowens mount, allowing for the use of additional lighting accessories. (标配磁吸配件, 另外设计了Mini保荣卡口, 更多灯光附件可拓展)。
- 2.Built in a 74Wh large battery, it can provide continuous illumination at full power for over 120 minutes. (74Wh大电池, 满功率可持续点亮超120分钟)。
- 3.The intelligent silent fan ensures a quiet shooting environment. (智能静音风扇, 满足静音拍摄条件)。
- 4.The color temperature is adjustable from 2500K to 6500K steplessly. (2500-6500K色温无级可调)。
- 5.Supports 45W PD fast charging, fully charging in just 3 hours. (45W PD协议快充, 充满只需3小时)。

Specifications : 产品参数

- 1.Material: ABS+PC+Aviation aluminum (材质: ABS+PC+航空铝)
- 2.CRI: Ra≥95 Battery capacity: 14.8V 5000mAh 74Wh
显指: Ra≥95 电池容量: 14.8V 5000mAh 74Wh
- 3.Input: DC 20V / 2.25A(max) (输入: DC 20V / 2.25A(max))
- 4.Power: 40W (Max) (功率: 40W (Max))
- 5.CCT: 2500-6500K (色温: 2500-6500K)
- 6.Size: 115*84*84mm (尺寸: 115*84*84mm)



Packing information : 装箱资料

- 1.P40W Packing quantity: 20pcs (P40W 装箱数量: 20pcs)
- 2.Outer box size: 1027*386*310mmmm (外箱尺寸: 1027*386*310mm)
- 3.Net Weight/Gross Weight: 19.2kg/20.2kg (整箱净重/毛重: 19.2kg/20.2kg)



Mood1A

RGB MOOD LIGHT
RGB氛围灯



Patent product, CE/FCC/RoHS certification (CE FCC RoHS)

Patent number: ZL 2021 3 0179766.1

专利产品, CE/FCC/RoHS认证 (专利号: ZL 2021 3 0179766.1)

Feature : 产品功能


1. Available in three size - 85cm/120cm (85cm/120cm两种尺寸可选)。
2. 500 lighting modes. (500种灯光模式)。
3. 260° wide beam angle. (260°超大发光面)。
4. Change colors automatically by following the music to create a colorful atmosphere. (跟随音乐跳动并变换颜色, 营造多彩氛围)。
5. It can be controlled by remote controller. (可遥控器控制)。

Specifications : 产品参数

1. Material: ABS+PC (材质: ABS+PC)
2. Battery capacity: 3.7V 5000mAh (电池容量: 3.7V 5000mAh)
3. Input: DC 5V 2.1A (MAX) (输入: DC 5V 2.1A (MAX))
4. Power: 10W (Max) (功率: 10W (Max))
5. CCT: 3000K / 4500K / 6000K RGB (色温: 3000K / 4500K / 6000K RGB)
6. Size: 38*36*850/1200mm (尺寸: 38*36*850/1200mm)


Packing information : 装箱资料

1. 850mm Packing quantity: 25pcs (中款装箱数量: 25pcs)
2. Outer box size: 912*318*330mm (外箱尺寸: 912*318*330mm)
3. Net Weight/Gross Weight: 18.9kg/19.9kg (整箱净重/毛重: 18.9kg/19.9kg)
4. 1200mm Packing quantity: 20pcs (长款装箱数量: 20pcs)
5. Outer box size: 1262*318*270mm (外箱尺寸: 1262*318*270mm)
6. Net Weight/Gross Weight: 19.6kg/20.7kg (整箱净重/毛重: 19.6kg/20.7kg)



Mood 1S

RGB MOOD LIGHT
RGB氛围灯



Patent product, CE/FCC/RoHS certification (CE FCC RoHS)

Patent number: ZL 2021 3 0179766.1

专利产品, CE/FCC/RoHS认证 (专利号: ZL 2021 3 0179766.1)

Feature : 产品功能

1. Available in three size - 85cm, 120cm (85cm/120cm两种尺寸可选)。
2. 36000 lighting modes. (36000 种灯光模式)。
3. Multiple control mode (On-board, remote control, App, music control). (多种控制方式 (灯体、遥控器、app、音乐控制))。
4. Hundreds of dynamic light effects + custom speed rate. (上百种动态光效+自定义速度可调)。
5. 1/4" mounting thread, mount freely in various lighting setups. (1/4" 固定螺孔, 可自由布光。)

Specifications : 产品参数

1. Material: ABS+PC+Aviation aluminum (材质: ABS+PC+航空铝)
2. Battery capacity: 2500mAh 7.4V (电池容量: 2500mAh 7.4V)
3. Input: DC 5V/3A 9V/2A 12V/1.5A (输入: DC 5V/3A 9V/2A 12V/1.5A)
4. Power: 18W(Max) (功率: 18W (Max))
5. Colour: RGB (颜色: RGB)
6. Size: 41.4×39.5×850/1200mm (尺寸: 41.4×39.5×850mm/1200mm)

Packing information : 装箱资料

1. 850mm Packing quantity: 25pcs (中款装箱数量: 25pcs)
2. Outer box size: 912*318*330mm (外箱尺寸: 912*318*330mm)
3. Net Weight/Gross Weight: 19.8kg/20.8kg (整箱净重/毛重: 19.8kg/20.8kg)
4. 1200mm Packing quantity: 20pcs (长款装箱数量: 20pcs)
5. Outer box size: 1262*318*270mm (外箱尺寸: 1262*318*270mm)
6. Net Weight/Gross Weight: 20.4kg/21.5kg (整箱净重/毛重: 20.4kg/21.5kg)



**Patent product, CE/FCC/RoHS certification**

Patent number: 015031945-0001 202330546734X

015031947-0001 2023305467405.

专利产品, CE/FCC/RoHS认证 (专利号: 015031945-0001, 015031947-0001, 202330546734X, 2023305467405)

Feature : 产品功能


1. Intelligent wireless microphone.
(智能无线麦克风)。
2. Professional level recording output.
(专业级别的录音输出)。
3. Plug and play, no need for an app.
(即插即用, 无需APP)。
4. It suitable for various scenarios like web broadcast, vlog, interview, online education, etc.
(可实现网络直播、视频Vlog拍摄、节目访谈、采访录音、视频教学等场合的使用)。

Specifications : 产品参数

1. Material: ABS+PC (材质: ABS+PC)
2. Latency: ~24ms (声音延时: 约24ms)
3. Frequency response: 20Hz-20KHz (频率响应: 20Hz-20KHz)
4. Charging voltage: DC 4.8-5.2V (充电输入电压: DC 4.8-5.2V)
5. Microphone capacity: 65mAh 3.7V (麦克风电池: 65mAh 3.7V)
6. Size: Transmitter 44.6*16.5*17.5mm Receiver 42*24*7.9mm
Charging Case 90*65.8*27.4mm
(发射器: 44.6*16.5*17.5 接收器: 42*24*7.9 充电仓: 90*65.8*27.4)

Packing information : 装箱资料

1. Packing quantity: 100pcs (装箱数量: 100pcs)
2. Outer box size: 421*252*265mm (外箱尺寸: 421*252*265mm)
3. Net Weight/Gross Weight: 16kg/16.8kg (整箱净重/毛重: 16/16.8kg)





Patent product, CE/FCC/RoHS certification (CE FCC RoHS)
CE/FCC/RoHS认证

Feature : 产品功能

1. Multi-use light with 8 light colors and 4 light effects.
(一灯多用, 8种色彩和4种情景特效随心切换)。
2. Compact and easy-carry design, suitable for a variety of scenarios.
(小巧轻便, 易于携带, 适用范围广泛)。
3. Simple operation, saving time and effort.
(操作简单, 省时省力)。
4. Built-in 1/4" mounting thread, mount freely in various lighting setups.
(1/4" 固定螺孔, 可自由布光)。

Specifications : 产品参数

1. Material: ABS+PC (材质: ABS+PC)
2. CRI: Ra≥95 (显指: Ra≥95)
3. Battery: 3.7V 2000mAh 7.4Wh (电池: 3.7V 2000mAh 7.4Wh)
4. Power: 4W (Max) (功率: 4W (Max))
5. CCT: 3000K / 6000K / RGB (色温: 3000K / 6000K / RGB)
6. Size: 41*41*200mm (尺寸: 41*41*200mm)

Packing information : 装箱资料

1. Packing quantity: 60pcs (装箱数量: 60pcs)
2. Outer box size: 424*275*298mm (外箱尺寸: 424*275*298mm)
3. Net Weight/Gross Weight: 14.8kg/15.3kg (整箱净重/毛重: 14.8kg/15.3kg)



V10PRO

RGB VIDEO LIGHT
RGB补光灯



Patent product, CE/FCC/RoHS certification (CE FCC RoHS)

Patent number: 2023306116938

专利产品, CE/FCC/RoHS认证 (专利号: 2023306116938)

Feature : 产品功能



1. Multi-use light with 8 light colors and 4 light effects.
(一灯多用, 8种色彩和4种情景特效随心切换)。
2. Compact and easy-carry design, suitable for a variety of scenarios.
(小巧轻便, 易于携带, 适用范围广泛)。
3. Simple operation, saving time and effort.
(操作简单, 省时省力)。
4. Built-in 1/4" mounting thread, mount freely in various lighting setups.
(1/4" 固定螺孔, 可自由布光)。

Specifications : 产品参数

1. Material: ABS+PC (材质: ABS+PC)
2. CRI: Ra≥95 (显指: Ra≥95)
3. Battery: 3000mAh 3.7V 11.1Wh (电池: 3000mAh 3.7V 11.1Wh)
4. Power: 8W (Max) (功率: 8W (Max))
5. CCT: 3000K / 6000K / RGB (色温: 2500K- 9000K / RGB)
6. Size: 115*68*16mm (尺寸: 115*68*16mm)

Packing information : 装箱资料

1. Packing quantity: 100pcs (装箱数量: 100pcs)
2. Outer box size: 460*255*255mm (外箱尺寸: 460*255*255mm)
3. Net Weight/Gross Weight: 14.8kg/15.3kg (整箱净重/毛重: 17.3kg/18.1kg)





Patent product, CE/FCC/RoHS certification (CE FCC RoHS)

Patent number: 2023306116938

专利产品, CE/FCC/RoHS认证 (专利号: 2023306116938)

Feature : 产品功能



1. Multi-use light with 8 light colors and 4 light effects.
(一灯多用, 8种色彩和4种情景特效随心切换)。
2. Compact and easy-carry design, suitable for a variety of scenarios.
(小巧轻便, 易于携带, 适用范围广泛)。
3. Simple operation, saving time and effort.
(操作简单, 省时省力)。
4. Built-in 1/4" mounting thread, mount freely in various lighting setups.
(1/4" 固定螺孔, 可自由布光)。


Specifications : 产品参数

1. Material: ABS+PC (材质: ABS+PC)
2. CRI: Ra≥95 (显指: Ra≥95)
3. Battery: 3000mAh 3.7V 11.1Wh (电池: 3000mAh 3.7V 11.1Wh)
4. Power: 6W (Max) (功率: 6W (Max))
5. CCT: 3000K / 6000K / RGB (色温: 3000K / 6000K / RGB)
6. Size: 115*68*16mm (尺寸: 115*68*16mm)

Packing information : 装箱资料

1. Packing quantity: 100pcs (装箱数量: 100pcs)
2. Outer box size: 460*255*255mm (外箱尺寸: 460*255*255mm)
3. Net Weight/Gross Weight: 14.8kg/15.3kg (整箱净重/毛重: 14.8kg/15.3kg)





Patent product, CE/FCC/RoHS certification

Patent number: ZL 2023 3 0295891.8

专利产品, CE/FCC/RoHS认证 (专利号: ZL 2023 3 0295891.8)

Feature : 产品功能

- 1.Side-emitting design, producing more soft light but no glare.
(侧发光技术, 光线柔和不刺眼)。
- 2.A high CRI of 95, making colors appear more vibrant and natural.
(显色指数大于95, 画面真实细腻)。
- 3.CCT, 10 level brightness, suitable for more scenes.
(3档色温、10级亮度, 适用于更多场景)。
- 4.With a 1/4"- thread hole at the bottom, compatible with tripods and stands. (底部带1/4螺孔, 可搭配三脚架固定)。


Specifications : 产品参数

- 1.Material: ABS+PC (材质: ABS+PC)
- 2.Input: DC 5V / 2A (MAX) (输入: DC 5V / 2A (MAX))
- 3.CRI: Ra≥95 (显指: Ra≥95)
- 4.Power: 10W (Max) (功率: 10W (Max))
- 5.CCT: 3000K / 4500K / 6000K
(色温: 3000K / 4500K / 6000K)
- 6.Size: 260*15*298mm (尺寸: 260*15*298mm)
- 7.LUX: 0.5M 700LUX (MAX) (照度: 0.5M 700LUX (MAX))

Packing information : 装箱资料

- 1.Packing quantity: 30pcs (装箱数量: 30pcs)
- 2.Outer box size: 665*358*502mm (外箱尺寸: 665*358*502mm)
- 3.Net Weight/Gross Weight: 17.5kg/18.6kg (整箱净重/毛重: 17.5kg/18.6kg)





Patent product, CE/FCC/RoHS certification (CE FCC RoHS)

Patent number: ZL 2023 3 0295891.8

专利产品, CE/FCC/RoHS认证 (专利号: ZL 2023 3 0295891.8)

Feature : 产品功能

- 1.Side-emitting design, producing more soft light but no glare. (侧发光技术, 光线柔和不刺眼)。
- 2.A high CRI of 95, making colors appear more vibrant and natural. (显色指数大于95, 画面真实细腻)。
- 3.Adjustable color temperature and brightness, suitable for more application scenarios. (自由调节色温、亮度, 适用于更多场景)。
- 4.With a 1/4"- thread hole at the bottom, compatible with tripods and stands. (底部带1/4螺孔, 可搭配三脚架固定)。
- 5.Having two control methods: touch and remote control. (拥有触摸和遥控器2种控制方式)。

Specifications : 产品参数

- 1.Material: ABS+PC (材质: ABS+PC)
- 2.Input: DC 24V / 1.0A (MAX) (输入: DC 24V / 1.0A (MAX))
- 3.CRI: Ra>95 (显指: Ra>95)
- 4.Power: 22W (Max) (功率: 22W (Max))
- 5.CCT: 3000K / 4500K / 6000K (色温: 3000K / 4500K / 6000K)
- 6.Size: 350*22.5*440mm (尺寸: 350*22.5*440mm)
- 7.LUX: 0.5M 1850LUX (MAX) (照度: 0.5M 1850LUX (MAX))


Packing information : 装箱资料

- 1.Packing quantity: 14pcs (装箱数量: 14pcs)
- 2.Outer box size: 390*327*550mm (外箱尺寸: 390*327*550mm)
- 3.Net Weight/Gross Weight: 20kg/21.8kg (整箱净重/毛重:20kg/21.8kg)



Q508A

LED PHOTOGRAPHY LIGHT
LED摄影补光灯



Patent product, CE/FCC/RoHS certification (CE FCC RoHS)

Patent number: ZL201630552135.9

专利产品, CE/FCC/RoHS认证 (专利号: ZL201630552135.9)

Feature : 产品功能


- 1.Small and light which easy to carry. (小巧轻便, 易于携带)。
- 2.With a 1/4 screw hole which can be used with a tripod. (带1/4螺孔, 可以搭配三脚架使用)。
- 3.Dual power supply: built-in lithium battery & use while charging. (Via 5V 2A adapter). (双供电: 内置锂电池+边充电边用5V 2A适配器)。
- 4.30 levels of brightness and color temperature to meet different shooting needs. (30级亮度, 30级色温满足不同的拍摄需求)。
- 5.One light is multi-functional, featuring 36 adjustable colors and 12 scene effects that can be switched freely. (一灯多用, 36种色彩和12种情景特效随心切换)。

Specifications : 产品参数

- 1.Material: ABS+PC+Aviation aluminum (材质: ABS+PC+航空铝)
- 2.Battery capacity: 2600mAh 7.4V 19.2Wh (电池容量: 2600mAh 7.4V 19.2Wh)
- 3.CRI: Ra>95 (显指: Ra>95)
- 4.Power: 10W (Max) (功率: 10W (Max))
- 5.CCT: 3000K-6000K RGB (色温: 3000K-6000K RGB)
- 6.Size: 550.1*35.05*29.09mm (尺寸: 550.1*35.05*29.09mm)
- 7.Working Time: 2hrs-32hrs (工作时间: 2hrs-32hrs)
- 8.Charging Time: 4hrs (充电时间: 4hrs)

Packing information : 装箱资料

- 1.Packing quantity: 30pcs (装箱数量: 30pcs)
- 2.Outer box size: 583*342*308mm (外箱尺寸: 583*342*308mm)
- 3.Net Weight/Gross Weight: 15.5kg/16.2kg (整箱净重/毛重: 15.5kg/16.2kg)





Patent product, CE/FCC/RoHS certification (CE FCC RoHS)

Patent number: 201921783840.4

专利产品, CE/FCC/RoHS认证 (专利号: 201921783840.4)

Feature : 产品功能


- 1.IP67 Rating Waterproof (IP67防水)。
- 2.Stepless Adjustable Brightness and Color Temperature. (无极色温, 无极亮度)。
- 3.2.5 Hours Run Time at 100% Brightness (最高亮度续航可达2.5小时)。
- 4.RGB Full Color, APP Controls Multiple Lights. (RGB全色彩, 带蓝牙APP多灯分组调控)。
- 5.Lightweight, Built-in Magnets and 1/4"-20 for Mounting. (体积小, 内置磁铁以及1/4" 螺孔, 可自由布光)。

Specifications : 产品参数

- 1.Material: ABS+PC (材质: ABS+PC)
- 2.Battery capacity: 3.7V/4000mAh 14.8Wh (电池容量: 3.7V/4000mAh 14.8Wh)
- 3.CRI: Ra>95 (显指: Ra>95)
- 4.Power: 6W (Max) (功率: 6W (Max))
- 5.CCT: 3000K-6000K RGB (色温: 3000K-6000K RGB)
- 6.Size: 37.5*37.5*201.5mm (尺寸: 37.5*37.5*201.5mm)
- 7.Working Time: ≥2.5hrs (工作时间: ≥2.5hrs)
- 8.Charging Time: ~3hrs (充电时间: ~3hrs)


Packing information : 装箱资料

- 1.Packing quantity: 40pcs (装箱数量: 40pcs)
- 2.Outer box size: 468*244*288mm (外箱尺寸: 468*242*288mm)
- 3.Net Weight/Gross Weight: 16.1kg/16.7kg (整箱净重/毛重: 16.1kg/16.7kg)



P100

RGB VIDEO LIGHT
RGB摄影补光灯



Patent product, CE/FCC/RoHS certification

Patent number: ZL 2021 3 0505367.X ZL 2021 2 1818554.4

专利产品, CE/FCC/RoHS认证 (专利号: ZL 2021 2 1818554.4)

Feature : 产品功能

- 1.Portable (小巧便携)。
- 2.IR remote/Onboard control (红外遥控 / 按键两种控制方式)。
- 3.Rotatable magnet design (可旋转磁铁设计)。
- 4.Simple to operate, saving time and effort.
(操作简单, 省时省力)。
- 5.Built-in magnet and 1/4"-20 screw hole,light can be freely distributed.
(内置磁铁和1/4" 固定螺孔, 可自由布光)。

Specifications : 产品参数

- 1.Material: ABS+PC (材质: ABS+PC)
- 2.Battery capacity: 3.7V 2000mAh / 7.4Wh
(电池容量: 3.7V 2000mAh / 7.4Wh)
- 3.CRI: Ra>95 (显指: Ra>95)
- 4.Power: 5W (Max) (功率: 5W (Max))
- 5.CCT: 3000K / 6000K
(色温: 3000K / 6000K)
- 6.Size: 41*41*200mm (尺寸: 41*41*200mm)
- 7.Working Time: ≥1.5hrs (工作时间: ≥1.5hrs)
- 8.Charging Time: ~3hrs
(充电时间: ~3hrs)

Packing information : 装箱资料

- 1.Packing quantity: 60pcs (装箱数量: 60pcs)
- 2.Outer box size: 430*304*305mm (外箱尺寸: 430*304*305mm)
- 3.Net Weight/Gross Weight: 13.4kg/14kg (整箱净重/毛重:13.4kg/14kg)



P400

RGB VIDEO LIGHT
RGB摄影补光灯



Patent product, CE/FCC/RoHS certification (CE FCC RoHS)

Patent number: ZL 2022 3 0553741.8

专利产品, CE/FCC/RoHS认证 (专利号: ZL 2022 3 0553741.8)

Feature : 产品功能

- 1.Portable and easy to carry (小巧轻便, 易于携带)。
- 2.Built-in battery, used in more scenarios.
(内置电池, 适应于更多场景)。
- 3.Mount on a tripod with the 1/4" thread on the bottom on of the light.
(底部带1/4螺孔, 可搭配三脚架固定)。
- 4.Easily adjust color temperature, intensity, hue and saturation.
(自由调节色温、亮度、色相和色彩饱和度)。
- 5.Versatile light, provides 36000 colors and 12 light effects.
(一灯多用, 36000色彩和12种情景特效随心切换)。

Specifications : 产品参数

- 1.Material: ABS+PC+Aviation aluminum (材质: ABS+PC+航空铝)
- 2.Battery capacity: 3.7V/2500mAh 9.25Wh
(电池容量: 3.7V/2500mAh 9.25Wh)
- 3.CRI: Ra≥95 (显指: Ra≥95)
- 4.Power: 10W (Max) (功率: 10W (Max))
- 5.CCT: 2500K-6500K RGB
(色温: 2500K-6500K RGB)
- 6.Size: 400*44.5*36.5mm (尺寸: 400*44.5*36.5mm)
- 7.Working Time: >1.7hrs (工作时间: >1.7hrs)
- 8.Charging Time: ~2hrs
(充电时间: ~2hrs)


Packing information : 装箱资料

- 1.Packing quantity: 50pcs (装箱数量: 50pcs)
- 2.Outer box size: 532*419*258mm (外箱尺寸: 532*419*258mm)
- 3.Net Weight/Gross Weight: 17.8kg/18.8kg (整箱净重/毛重:17.8kg/18.8kg)



P520

RGB VIDEO LIGHT
RGB摄影补光灯



Patent product, CE/FCC/RoHS certification 

Patent number: ZL 2022 3 0553741.8

专利产品, CE/FCC/RoHS认证 (专利号: ZL 2022 3 0553741.8)

Feature : 产品功能



- 1.Portable and easy to carry (小巧轻便, 易于携带)。
- 2.Built-in battery, used in more scenarios.
(内置电池, 适应于更多场景)。
- 3.Mount on a tripod with the 1/4" thread on the bottom on of the light.
(底部带1/4螺孔, 可搭配三脚架固定)。
- 4.Easily adjust color temperature, intensity, hue and saturation.
(自由调节色温、亮度、色相和色彩饱和度)。
- 5.Versatile light, provides 36000 colors and 12 light effects.
(一灯多用, 36000色彩和12种情景特效随心切换)。


Specifications : 产品参数

- 1.Material: ABS+PC+Aviation aluminum (材质: ABS+PC+航空铝)
- 2.Battery capacity: 2600mAh 7.4V 19.24Wh
(电池容量: 2600mAh 7.4V 19.24Wh)
- 3.CRI: Ra≥95 (显指: Ra≥95)
- 4.Power: 20W (Max) (功率: 20W (Max))
- 5.CCT: 2500K-6500K RGB
(色温: 2500K-6500K RGB)
- 6.Size: 520*44.5*32.5mm (尺寸: 520*44.5*32.5mm)
- 7.Working Time: >1hrs (工作时间: >1hrs)
- 8.Charging Time: ~2hrs
(充电时间: ~2hrs)

Packing information : 装箱资料

- 1.Packing quantity: 20pcs (装箱数量: 20pcs)
- 2.Outer box size: 595*566*290mm (外箱尺寸: 595*566*290mm)
- 3.Net Weight/Gross Weight: 17.8kg/18.3kg (整箱净重/毛重: 17.8kg/18.3kg)



**CE/FCC/RoHS certification**

CE/FCC/RoHS认证

**Feature : 产品功能**

- 1.The product is waterproof IP68 . (防水等级IP68) 。
- 2.Built-in battery, used in more scenarios.
(内置电池, 适应于更多场景) 。
- 3.Mount on a tripod with the 1/4" thread on the bottom on of the light.
(底部带1/4螺孔, 可搭配三脚架固定) 。
- 4.Easily adjust color temperature, intensity, hue and saturation.
(自由调节色温、亮度、色相和色彩饱和度) 。
- 5.Versatile light, provides 36000 colors and 12 light effects.
(一灯多用, 36000色彩和12种情景特效随心切换) 。
- 6.Three control methods: button control, remote control, and APP control (APP control is a unique feature of P7RGBPRO).
(三种控制方式: 按键控制, 遥控控制和APP控制 (APP控制为P7RGBPRO特色功能).)


Specifications : 产品参数

- 1.Material: ABS+PC (材质: ABS+PC)
- 2.Battery capacity: 3.7V/10400mAh 38.5Wh
(电池容量: 3.7V/10400mAh 38.5Wh)
- 3.CRI: Ra>95 (显指: Ra>95)
- 4.Power: 8W (Max) (功率: 8W (Max))
- 5.CCT: 3000K-5750K RGB
(色温: 3000K-5750K RGB)
- 6.Size: Φ36*400mm (尺寸: Φ36*400mm)
- 7.Working Time: ≥4.5hrs (工作时间: ≥4.5hrs)
- 8.Charging Time: 7hrs
(充电时间: 7hrs)

Packing information : 装箱资料

- 1.Packing quantity: 30pcs (装箱数量: 30pcs)
- 2.Outer box size: 433*342*308mm (外箱尺寸: 433*342*308mm)
- 3.Net Weight/Gross Weight: 15.9kg/16.7kg (整箱净重/毛重: 15.9kg/16.7kg)





Patent product, CE/FCC/RoHS certification (CE FCC RoHS)

Patent number: 201921784405.3

专利产品, CE/FCC/RoHS认证 (专利号: 201921784405.3)

Feature : 产品功能

- 1.High CRI Ra>95 LED. (Ra>95高显指灯珠)。
- 2.The color temperature is adjustable from 2500K to 6500K. (色温2500K-6500K可调)。
- 3.0-360°full RGB color and 0-100 saturation adjustable. (0-360°全色彩以及0-100饱和度可调)。
- 4.12 kinds of common shooting scene simulation. (12种常用场景模拟)。
- 5.Phone application control. (APP控制)
- 6.The shell is rugged aerospace aluminum material. (高强度航空铝材机身)


Specifications : 产品参数

- 1.Material: ABS+PC+Aviation aluminum (材质: ABS+PC+航空铝)
- 2.Battery capacity: 3.7V/10000mAh 37Wh (电池容量: 3.7V/10000mAh 37Wh)
- 3.CRI: Ra>95 (显指: Ra>95)
- 4.Power: 18W (Max) (功率: 18W (Max))
- 5.CCT: 2500K-6500K RGB (色温: 2500K-6500K RGB)
- 6.Size: 550.1*35.05*29.09mm (尺寸: 550.1*35.05*29.09mm)
- 7.Working Time: ≥2hrs (工作时间: ≥2hrs)
- 8.Charging Time: 4hrs (充电时间: 4hrs)

Packing information : 装箱资料

- 1.Packing quantity: 10pcs (装箱数量: 10pcs)
- 2.Outer box size: 488*458*188mm (外箱尺寸: 488*458*188mm)
- 3.Net Weight/Gross Weight: 10.4kg/11.3kg (整箱净重/毛重:10.4kg/11.3kg)



**CE/FCC/RoHS certification**

CE/FCC/RoHS认证

**Feature : 产品功能**


1. With gimbal frame. It can be used with tripods. (配备万向支架, 可搭配1/4" 三脚架使用)。
2. The product is waterproof IP68. It can be used on rainy day and underwater photography. (IP68设计, 可雨天、水下补光)。
3. It can be controlled by remote controller and Tuya Smart Application. (支持遥控器、涂鸦APP控制)。
4. With hook, it can meet different fixed scenes. (带挂钩, 满足不同固定场景)。
5. Stepless color temperature and stepless brightness, the maximum power is 18W. (无极色温, 无极亮度, 最大输出功率可达18W)。

Specifications : 产品参数

1. Material: ABS+PC (材质: ABS+PC)
2. Battery capacity: 7.4V/10400mAh 75.9Wh (电池容量: 7.4V/10400mAh 75.9Wh)
3. CRI: Ra>95 (显指: Ra>95)
4. Power: 18W (Max) (功率: 18W (Max))
5. CCT: 3000K-5700K RGB (色温: 3000K-5700K RGB)
6. Size: $\Phi 36 \times 1200\text{mm}$ (尺寸: $\Phi 36 \times 1200\text{mm}$)
7. Working Time: $\geq 4.5\text{hrs}$ (工作时间: $\geq 4.5\text{hrs}$)
8. Charging Time: 6hrs (充电时间: 6hrs)

Packing information : 装箱资料

1. Packing quantity: 10pcs (装箱数量: 10pcs)
2. Outer box size: 1273*472*218mm (外箱尺寸: 1273*472*218mm)
3. Net Weight/Gross Weight: 20kg/21.4kg (整箱净重/毛重: 20kg/21.4kg)



P120S

RGB VIDEO LIGHT
RGB全彩影视灯



Patent product, CE/FCC/RoHS certification (CE FCC RoHS)

Patent number: ZL 2022 3 0355346.9

专利产品, CE/FCC/RoHS认证 (专利号: ZL 2022 3 0355346.9)

Feature : 产品功能


- 1.Color temperature ranges from 2000K to 10000K.
(2000-10000K宽广色温精准调控)。
- 2.Highly-efficient light output renders at CRI 95+, TLCI 97+.
($Ra \geq 95$, $TLCI > 97$ 超高色彩还原。)。
- 3.0-360° full color & 0-100 saturation adjustment.
(0-360°全色彩以及0-100饱和度可调)。
- 4.Built-in 14 special light effects (custom fx supported).
(内置14种FX特效模式 (自定义光效))。
- 5.Switch control, Bluetooth App control (e-Links), DMX control .
(专业APP控制, 操作更便利)。
- 6.Syncs with the rhythm of music to add a fantastic atmosphere.
(跟随音乐跳动并变换颜色, 营造多彩氛围)。

Specifications : 产品参数

- 1.Material: ABS+PC (材质: ABS+PC)
- 2.Input: DC 20V / 1.8A(max) (输入: DC 20V / 1.8A(max))
- 3.CRI: $Ra \geq 95$ (显指: $Ra \geq 95$)
- 4.Power: 30W (Max) (功率: 30W (Max))
- 5.CCT: 2000K-10000K RGB
(色温: 2000K-10000K RGB)
- 6.Size: 1130*43.3*43.4mm (尺寸: 1130*43.3*43.4mm)
- 7.Light Effect: 15 kinds (光效: 15种)




Packing information : 装箱资料

- 1.Packing quantity: 8pcs (装箱数量: 8pcs)
- 2.Outer box size: 1178*456*248mm (外箱尺寸: 1178*456*248mm)
- 3.Net Weight/Gross Weight: 19.2kg/20.6kg (整箱净重/毛重: 19.2kg/20.6kg)



Mood1

RGB MOOD LIGHT
RGB氛围灯



Patent product, CE/FCC/RoHS certification (CE FCC RoHS)

Patent number: ZL 2021 3 0179766.1

专利产品, CE/FCC/RoHS认证 (专利号: ZL 2021 3 0179766.1)

Feature : 产品功能

1. Available in three size - 85cm and 120cm (85cm/120cm 两种尺寸可选)。
2. 500 lighting modes. (500种灯光模式)。
3. 260° wide beam angle. (260°超大发光面)。
4. Change colors automatically by following the music to create a colorful atmosphere. (跟随音乐跳动并变换颜色, 营造多彩氛围)。
5. 1/4" mounting thread, mount freely in various lighting setups. (1/4" 固定螺孔, 可自由布光。)

Specifications : 产品参数

1. Material: ABS+PC (材质: ABS+PC)
2. Battery capacity: 3.7V 2000mAh (电池容量: 3.7V 2000mAh)
3. Input: DC 5V 1A (MAX) (输入: DC 5V 1A (MAX))
4. Power: 4.5W (Max) (功率: 4.5W (Max))
5. Colour: RGB (颜色: RGB)
6. Size: 32*31*850/1200mm (尺寸: 32*31*850/1200mm)



Packing information : 装箱资料

1. 850mm Packing quantity: 30pcs (中款装箱数量: 30pcs)
2. Outer box size: 330*276*900mm (外箱尺寸: 330*276*900mm)
3. Net Weight/Gross Weight: 17.2kg/18kg (整箱净重/毛重: 17.2kg/18kg)
4. 1200mm Packing quantity: 20pcs (长款装箱数量: 20pcs)
5. Outer box size: 285*226*1250mm (外箱尺寸: 285*226*1250mm)
6. Net Weight/Gross Weight: 15kg/16kg (整箱净重/毛重: 15kg/16kg)



Mood 2

RGB MOOD LIGHT
RGB氛围灯



CE/FCC/RoHS certification
CE/FCC/RoHS认证



Feature : 产品功能


1. Music rhythm mode to create atmosphere.
(具有音乐律动模式, 氛围感拉满)。
2. 36,000 light colors.
(支持36000种灯光色彩可调节)。
3. Multiple control mode (On-board, remote control).
(多种控制方式 (灯体、遥控器))。
4. 360 degree rotating lamp head offers flexibility.
(灯体可360°调节, 灵活布光)。
5. 1/4" mounting thread, mount freely in various lighting setups.
(1/4" 固定螺孔, 可自由布光。)

Specifications : 产品参数

1. Material: ABS+PC+Aviation aluminum (材质: ABS+PC+航空铝)
2. IR Distance: 7m (遥控距离: 7米)
3. Input: DC 5V 2A (输入: DC 5V 2A)
4. Power: 10W (Max) (功率: 10W (Max))
5. CCT: 6000K / RGB (色温: 6000K / RGB)
6. Size: 155.4*88*185.3mm (尺寸: 155.4*88*185.3mm)

Packing information : 装箱资料

1. 850mm Packing quantity: 25pcs (中款装箱数量: 25pcs)
2. Outer box size: 912*318*330mm (外箱尺寸: 912*318*330mm)
3. Net Weight/Gross Weight: 19.8kg/20.8kg (整箱净重/毛重: 19.8kg/20.8kg)





Patent product, CE/FCC/RoHS certification (CE FCC RoHS)

Patent number: ZL 2021 3 0704409.2

专利产品, CE/FCC/RoHS认证 (专利号: ZL 2021 3 0704409.2)

Feature : 产品功能

1. With 6 kinds of Fx scene simulation light effects, easy to achieve creative lighting. (6种Fx场景模拟光效, 轻松实现创意布光)。
2. Stepless color temperature, adjustable from 2700K to 6500K. (2700-6500K色温无级可调)。
3. Smart silent fan, satisfy the silent shooting. (智能静音风扇, 满足静音拍摄条件)。
4. Bowens-mount support various of light accessories. (保荣卡口设计, 通用更多灯光附件拓展)。
5. Switch control, App control (Tuya Smart) . (开关控制, APP控制 (涂鸦APP))。

Specifications : 产品参数

1. Material: ABS+PC+Aviation aluminum (材质: ABS+PC+航空铝)
2. CRI: Ra≥95 (显指: Ra≥95)
3. Input: DC 24V/5A (输入: DC 24V/5A)
4. Power: 100W (Max)(功率: 100W (Max))
5. CCT: 2700-6500K (色温: 2700-6500K)
6. Size: 223*180*240mm (尺寸: 223*180*240mm)


Packing information : 装箱资料

1. Packing quantity: 4pcs (装箱数量: 4pcs)
2. Outer box size: 485*525*548mm (外箱尺寸: 485*525*548mm)
3. Net Weight/Gross Weight: 11.2kg/12.3kg (整箱净重/毛重: 11.2kg/12.3kg)



FL100R

RGB VIDEO LIGHT
RGB摄影补光灯



Patent product, CE/FCC/RoHS certification (CE FCC RoHS)

Patent number: ZL 2022 3 0200187.5

专利产品, CE/FCC/RoHS认证 (专利号: ZL 2022 3 0200187.5)

Feature : 产品功能

1. Stepless brightness and color temperature. (无级亮度, 无级色温)。
2. 0-360° full color and 0-100 saturation adjustable. (0-360°全色彩以及0-100饱和度可调)。
3. Smart silent fan, satisfy the silent shooting. (智能静音风扇, 满足静音拍摄条件)。
4. Two power supply modes, switch at will. (双项供电, 随心切换)。
5. $Ra \geq 95$, restore the true color of the object perfectly. ($Ra \geq 95$, 超高色彩还原)。
6. Easy to operate by App control. Multi lights can be controlled at the same time. (多灯联控, 轻松实现; APP控制, 操作更容易)。
7. Built-in DMX interface design, free dimming with DMX professional controller. (内置DMX设计, 可用DMX专业级控制器自由调光)。

Specifications : 产品参数

1. Material: ABS+PC+Aviation aluminum (材质: ABS+PC+航空铝)
2. CRI: $Ra > 95$ (显指: $Ra > 95$)
3. Input: DC 24V/5A (max) (输入: DC 24V/5A (max))
4. Power: 100W (Max) (功率: 100W (Max))
5. CCT: 2000K-10000K (色温: 2000K-10000K)
6. Size: 410*402*89mm (尺寸: 410*402*89mm)

Packing information : 装箱资料

1. Packing quantity: 3pcs (装箱数量: 3pcs)
2. Outer box size: 468*570*505mm (外箱尺寸: 468*570*505mm)
3. Net Weight/Gross Weight: 17.4kg/18.6kg (整箱净重/毛重: 17.4kg/18.6kg)



B30 / B40

Portable LED Photo Studio Box
便携式LED照相箱



CE/FCC/RoHS certification

CE/FCC/RoHS认证



Feature : 产品功能


1. Foldable and portable, quick and easy assembling.
(可折叠便携, 组装快捷方便)。
2. Three-color temperature ring light gives you full range light inside the box. (三色温度环形灯让你在盒子里获得全方位的光线)。
3. Silver fabric reduces reflection and increases product light sensation.
(银色面料减少反射, 增加产品光感)。
4. Suitable for shooting small objects such as electronics, watches, jewelry, etc. (适合拍摄小物件, 如电子产品、手表、珠宝等)。
5. $Ra \geq 95$, restore the true color of the object perfectly.
($Ra \geq 95$, 超高色彩还原)。

Specifications : 产品参数

1. Material: Cloth+PP (材质: 布+PP)
2. CRI: $Ra \geq 95$ (显指: $Ra \geq 95$)
3. Input: DC 5V/1A (max) (输入: DC 5V/1A (max))
4. Power: 10W (Max) (功率: 10W (Max))
5. CCT: 3000K / 4500K / 6000K (色温: 3000K / 4500K / 6000K)
6. Size: B30: 310*310*310mm B40: 410*410*410mm.
(尺寸: B30: 310*310*310mm B40: 410*410*410mm)

Packing information : 装箱资料

1. B30 Packing quantity: 10pcs (B30 装箱数量: 10pcs)
2. Outer box size: 590*355*363mm (外箱尺寸: 590*355*363mm)
3. Net Weight/Gross Weight: 18kg/19.1kg (整箱净重/毛重: 18kg/19.1kg)
4. B40 Packing quantity: 6pcs (B40 装箱数量: 6pcs)
5. Outer box size: 455*362*463mm (外箱尺寸: 455*362*463mm)
6. Net Weight/Gross Weight: 18.6kg/19.3kg (整箱净重/毛重: 18.6kg/19.3kg)



20 YEARS +

产品画册

Shenzhen Youyang Technology Co., Ltd.
深圳市优洋科技有限公司

 Factory ADD: 4th Floor, Building 4, Haomai High tech Park, No. 387 Huating Road, Dalang Street, Longhua District, Shenzhen
工厂地址: 深圳市龙华区大浪街道华霆路387号豪迈高新技术园4栋4层